

**Notice of Allowability**

Application No.

10/676,704

Examiner

James S. Bergin

Applicant(s)

CHASE ET AL.

Art Unit

3641

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 10/25/2006.
2. ☒ The allowed claim(s) is/are 1,2,4-9,11-15 and 17-19.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |                                                                                                            |                                                                                       |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)                                           | 5. <input type="checkbox"/> Notice of Informal Patent Application                     |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____    | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                   |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|                                                                                                            | 9. <input type="checkbox"/> Other _____                                               |

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 1, lines 4 and 14, [type] has been deleted.

In claim 14, line 4, [type] has been deleted.

### REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: the prior art of record does not disclose or suggest the combination that would teach ***an electrical bridge detonator or chip slapper capable of being initiated by less than about 50 mj of energy at the end of about a 1 millisecond charging time window***, in combination with the other limitations of independent claims 1, 8 and 14. The applicants' have convincingly argued the criticality of this feature on page 10 of the response filed 10/25/2006, wherein reference is made to paragraph [00024] of the specification wherein it is stated, "*The CDU/detonator of the present invention is also capable of being pulsed charged from a remote source from about 1 meter to at least about 100 meters. A pulse charging time of at least one millisecond (ms) can be*

Art Unit: 3641

*achieved through extended twisted pair transmission lines and/or coaxial cables. A 1 ms pulse charging time allows for the transmission inductance to be large, thus permitting long cable lengths between a charging source and a (CDU). Detonator safety is thereby enhanced because the detonator-fire set can remain uncharged and therefore safe until at least about 1 ms before the intended firing time.*" In paragraph [00025] of the

specification further support for the criticality of the claimed 1 millisecond charging time window is found, wherein the applicants state *"To increase reliability, the detonators of the present invention are designed to discharge at the end of the 1-ms charging window, such that the capacitor and switch are minimally stressed electrically due to the short time at which they see a high voltage ..... "* Brooks (US 6,386,108 B1) does not disclose the claimed charging time limitations and discusses a charging time of several minutes (see column 4, lines 44-53). Wu et al. (US 6,386,108) similarly does not disclose the claimed charging time limitations of independent claims 1, 8 and 14.

3. This statement is not intended to necessarily state all the reasons for allowance or all the details why the claims are allowed and has not been written to specifically or impliedly state that all the reasons for allowance are set forth (MPEP 1302.14)

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James S. Bergin whose telephone number is 571-272-

Art Unit: 3641

6872. The examiner can normally be reached on Monday - Wednesday and Friday, 8.30 - 5.30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone can be reached on 571-272-6873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read 'James S. Bergin', followed by a horizontal line.

James S. Bergin